

TWR285WD Wine Cellar Owner's Manual

This owner's manual provides instructions on safe installation, use, and maintenance. Please read it carefully and save it for reference.



Table of Contents

Table of Contents	1
Important Safeguards	2
1. Specifications	3
Parts and Features	4
Installation	5
4. Operation	5
Troubleshooting	7
6. Limited Warranty	9

IMPORTANT SAFEGUARDS

When using an electrical appliance, basic precautions should always be followed, including the following:

BEFORE USE, PLEASE READ AND FOLLOW ALL INSTRUCTIONS FOR THIS WINE COOLER


- Do not use if the power supply cord is damaged. If damaged, it must be replaced by the manufacturer or a similarly qualified person.
- This wine cooler is not intended for use by young children or infirm
 persons without supervision. Young children must be supervised to
 ensure they do not play with the appliance.
- Ensure the cooler is unplugged before cleaning or if not in use.
- To clean the cooler use only mild detergents or glass cleaning products. Never use harsh detergents or solvents.
- It is not recommended to use this wine cooler with an extension cord or power strip. Please ensure that the appliance is plugged directly into the electrical outlet.
- When positioning the wine cooler, ensure that there is at least a 2" clearance at the sides and a 4" clearance at the back of the cooler.
 This will allow for adequate ventilation of heat from the back of the cooler.
- This cooler is designed to store wine bottles. If food is placed inside, ensure that there is sufficient airflow between items. Also note that the temperature range for this cooler is optimized for wine and beverage storage. Perishable food items may require a different storage environment.
- Do not place hot food or drinks into the wine cooler before they cool down to room temperature.
- Close the cooler door immediately after putting in any items so the inside temperature will not rise dramatically.
- Avoid subjecting the cooler to external heat sources or direct sunlight.
- For a stable installation, make sure the cooler is placed on a flat, level, and solid surface.
- Make sure that the surface on which the wine cooler is placed is strong enough to hold the wine cooler once it is fully loaded with wine bottles.
- Do not place any other appliances on top of the wine cooler.
- The wine cooler is an electrical appliance. To avoid injury or death from electrical shock, do not operate the wine cooler with wet hands, while standing on a wet surface, or while standing in water.
- Do not use outdoors or in wet or moist conditions.
- Do not turn the cooler upside down, on its side, or 45° or more off level.
- Never pull the power cord to disconnect it from the outlet. Grasp the plug and pull it from the outlet.
- Never lift or carry the wine cooler by the power cord.
- Keep the power cord away from heated surfaces.
- This wine cooler is designed for household, non-commercial use only.
- Do not plug this cooler into the power socket before set up is completed.

- An empty cooler can be dangerous for children. If disposing of the cooler remove gaskets, latches, lids and the entire door from your unused appliance, or take other action to ensure that children cannot become trapped inside.
- If your model of wine cooler is equipped with a lock, take care to keep the keys away from children.
- Do not cut or remove the third prong (the grounding prong) from the power cord.
- The cord should be secured behind the unit and should not be left exposed or dangling.
- Do not move this cooler without emptying it of its contents and securing the door in a closed position.

1. Specifications

Model No.	TWR285WD
Capacity	28 Bottles
Rated Power	110V
Rated Frequency	60Hz
Climate Type	SN; N

2. Parts and Features



Note: The above diagram is for reference only- your specific model of wine cooler may differ slightly from the diagram above (in light placement, bottle capacity, etc.) but its operation will be essentially the same.

- 1. Door handle
- 2. Door glass
- 3. Foot
- 4. Light
- 5. Thermostat control
- 6. Outer cabinet

- 7. Inner cabinet
- 8. Inner fan cover (grate)
- 9. Shelf
- 10. Hinge
- 11. Door Frame
- 12. Gasket

3. Installation

- 1. Remove all interior and exterior packaging.
- 2. Set up your wine cooler on a level surface. Make sure you have at least 2" clearance on both sides and 4" clearance in the back for ventilation.
- 3. Clean the interior surface with a little bit of lukewarm water and a soft cloth.
- 4. If you desire, install the handle
- 5. Insert the power cord into the power socket. Make sure the power socket is a grounded 115V~AC / 60Hz socket.
- 6. Fill the wine cooler with your choice of wine bottles. Allow up to 24 hours of operation for the bottles to reach the desired temperature.

4. Operation

The Temperature Control

Manual control-

Use the temperature adjustment knob located inside the wine cooler to change the temperature. Turn the knob to your desired temperature setting.

Interior Light

Your wine cooler has an interior light with an on/off switch. Turn the light on or off by pressing the switch.

Bottle Capacity

Bottle capacity listed for your wine cooler is an estimated maximum capacity based on standard 750 mL wine bottles. For any other size bottles, capacity will vary.

Racks

Please note that the racks for your cooler have a top and a bottom. If you are having trouble fitting the stated number of bottles in the cooler (provided you have standard wine bottles), try flipping over one or more racks.

Also note that your wine cooler (depending upon the model) may have more "slots" for racks than the number of racks provided with the unit.

Cleaning the Cooler

- Turn the temperature control to "off" and unplug your cooler. Remove all items from it (wine bottles, shelves, etc.)
- Wash the inside surfaces with a mild cleaner. We suggest you use either warm water alone, or a baking soda solution (try mixing 2 tablespoons of baking soda into a quart of water.)
- Wash the wire shelves/trays (if you have them) with a mild detergent solution.
- Clean the wooden shelves/trays (if you have them) with a soft cloth and some wood cleaner.
- Wash the outside of the cooler with a mild detergent solution.
- Dry any wet parts with a soft cloth.

Caution: make sure to minimize the exposure of water to any electronic or control parts.

Extended Periods of Disuse

Your cooler can operate safely for three weeks or longer without any adjustments. However, if the cooler is going to be left alone for several months, you should unplug it and clean it according to the instructions above. Pay special attention to drying the interior.

Now set the unit aside somewhere safe. You may want to crack the door slightly to prevent mold growth or odor.

Transporting the Cooler

The ideal packaging for you cooler is its original packaging. If possible, keep this packaging handy and repack the cooler as it was initially packed if you need to transport it.

If you do not have the original packaging:

- Make sure the cooler is turned off and unplugged.
- Remove all items.
- Tape down the shelves and any other loose items within the cooler.
- Shut the door and tape it closed.
- Transport the cooler in a secure, upright position.
- Protect the outside of the cooler with Styrofoam, cardboard, a blanket, etc.

Energy Efficiency Tips

Locate your cooler in the coolest area of the room.

Locate your cooler away from direct sunlight or any heat-producing sources. Let any hot foods or drinks cool before placing them inside the cooler.

5. Troubleshooting

Symptoms	Possible causes	Solutions
	There is a power	Ensure the cooler is
The wine	failure.	plugged in and the
cooler does		power outlet has power.
not turn on.	The cooler is not plugged in.	
		Replace the broken fuse
	A house fuse has blown or the circuit breaker is tripped.	in your fuse box or reset the breaker.
	The cooler is placed	Keep the cooler away
	too close to a heat source.	from sunshine or other heat sources.
The wine	The cooler does not	Make sure the wine
cooler will not	have sufficient	cooler has several
reach the	ventilation.	inches of ventilation on
desired temperature		the sides and back.
	The door is opened	Close the door tightly
	too frequently or for a	and do not open the door
	long period of time.	too frequently or for a
		long period of time.
	The environment is	Though the unit uses an
	humid.	"auto-defrost" system,
	The second second	under certain conditions,
	The ambient	manual defrosting may
Frost is	temperature is too	be required. If frost
forming in the	IOW.	builds up, you can try running the cooler on a
wine cooler	The door is being	warmer temperature
WILLE COOLE	opened too	setting, minimizing the
	frequently.	number of times you
		open the door, or
		unplugging the unit to
		allow the frost to melt.

Symptoms	Possible causes	Solutions
The cooler turns on and off frequently.	The room temperature is higher than the recommended ambient temperature	Run the cooler in the appropriate ambient temperature. Minimize the number of
	(77°F).	times the door is opened.
	The door is being opened often.	Make sure the door is completely closed.
	The door is not completely closed.	Make sure the door gasket is properly
	The door gasket is not sealing properly.	sealing. Make sure the cooler
	The cooler does not have the suggested ventilation.	has at least 2" on the sides and 4" in the back for clearance.
The cooler makes too much noise.	If the noise is from the fan, it may be normal operating noise.	The fan makes normal fan noises when operating- this is normal.
	The unit is not level.	Make sure the cooler is on a level surface.
	Popping or crackling noises are coming from the unit.	Some popping or crackling noises are normal. They are caused by expansion and contraction of the inside walls due to temperature changes.
The door will not shut properly.	Your cooler is not level.	Make sure the cooler is on a level surface.
	The door gasket is dirty.	Clean the door gasket. Make sure the door
	The door gasket is malformed.	gasket is properly sealing.
	The shelves are incorrectly installed.	Correctly install the shelves.

6. Limited

Warranty

This EdgeStar product is warranted to be free from defective workmanship and materials for the first year following the date of original purchase. Replacement parts will be supplied free of charge for the first year following the date of original purchase. Labor will be performed free of charge for the first 90 days following the date of original purchase.

WHAT IS COVERED:

This warranty applies to the original purchaser only, and only covers defects in workmanship experienced during operation of the product under normal service, maintenance, and usage conditions. This warranty applies to the purchase and use of this product in residential settings within the United States of America.

WHAT IS NOT COVERED:

The following limitations apply to the coverage of this warranty:

Optional accessories, attachments, and appearance items are excluded from warranty coverage, as is shipping damage, and any damage caused by improper voltage or any other misuse, including abnormal service, handling, or usage.

This warranty does not cover normal wear and tear on parts or replacement of parts designed to be replaced, e.g. filters, etc.

This warranty does not cover service trips to deliver, pick-up, repair, or install the product, or to instruct in proper usage of the product.

Damages or operating problems resulting from abuse, operation outside environmental specifications, uses contrary to instructions provided in the owner's manual, accidents, vermin, fire, flood, improper installation, unauthorized service, acts of God, unauthorized installation or modification, or commercial use are excluded from warranty coverage.

This warranty does not cover labor incurred 91 days or more after the date of original purchase.

This warranty does not cover use of EdgeStar products in commercial settings.

DESCRIPTION OF WARRANTY SERVICE:

All defective product components covered by this warranty will be repaired or replaced, at EdgeStar's option, free of charge on a mail-in basis to EdgeStar's authorized repair facility during the first 90 days from the date of original purchase.

All defective product components covered by this warranty will be repaired or replaced, at EdgeStar's option, on a mail-in basis to EdgeStar's authorized repair facility during the time period beginning on the 91st day from the date of original purchase and ending one year from the date of original purchase. During this time period, parts will be supplied free of charge, but labor charges will apply.

All replacement parts and units will be new, remanufacturered, or refurbished. All products and components replaced by EdgeStar under warranty service become the property of EdgeStar.

OBTAINING WARRANTY SERVICE:

Contact EdgeStar for troubleshooting assistance and warranty service authorization at 1-866-319-5473. Please have your order receipt available to confirm the date of purchase.

Once an EdgeStar authorized representative has confirmed that your product is eligible for warranty service, the product must be returned to an EdgeStar authorized repair facility.

The purchaser is solely responsible for prepaying all shipping related costs to and from the repair facility.

EdgeStar is not responsible for damage resulting from shipper mishandling or improper packaging.

Do not return defective product to the place of purchase.

THIS WARRANTY IS IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ANY IMPLIED WARRANTY IS REQUIRED BY LAW, IT IS LIMITED IN DURATION TO THE EXPRESS WARRANTY PERIOD ABOVE. NEITHER THE MANUFACTURER NOR ITS DISTRIBUTORS SHALL BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY NATURE, INCLUDING WITHOUT LIMITATION, LOST REVENUES OR PROFITS, OR ANY OTHER DAMAGE WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. SOME STATES DO NOT ALLOW THE EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE.



For information on EdgeStar and to view our full line of products, please visit our website: http://www.edgestar.com